



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/616,777	07/10/2003	Mark J. Bauckman	Z0030/282820	1998
23370	7590	03/11/2005	EXAMINER	
JOHN S. PRATT, ESQ KILPATRICK STOCKTON, LLP 1100 PEACHTREE STREET ATLANTA, GA 30309			PRINCE, FRED G	
			ART UNIT	PAPER NUMBER
			1724	

DATE MAILED: 03/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
P.O. Box 1450  
ALEXANDRIA, VA 22313-1450  
www.uspto.gov

MAR 10 2005

In re Application of	:	
BAUCKMAN, MARK J. et. al	:	NOTICE OF WITHDRAWAL
Serial No. 10/616777	:	FROM ISSUE
Filed: July 10, 2003	:	UNDER 37 CFR 1.313(b)
For: AUTOMATIC SWIMMING POOL	:	
CLEANERS WITH SHAPED FLOATS AND	:	
WATER-TEMPERATURE OR -PRESSURE	:	
INDICATORS AND WATER-CIRCULATION	:	
SYSTEMS INCORPORATING SUCH	:	
INDICATORS	:	

The above-identified application is withdrawn from issue after payment of the issue fee due to reopening of prosecution. See 37 CFR 1.313 (b).

The above-identified application is hereby withdrawn from issue.

The issue fee is refundable upon written request. If, however, the application is again found allowable, the issue fee can be applied toward payment of the issue fee in the amount identified on the new Notice of Allowance and Issue Fee Due upon written request. This request and any balance due must be received on or before the due date noted in the new Notice of Allowance in order to prevent abandonment of the application.

Telephone inquiries should be directed to Duane Smith at (571) 272-1166.

The above-identified application is being forwarded to the examiner for prompt appropriate action, including notifying applicant of the new status of this application.

Jacqueline Stone, Director  
Technology Center 1700  
Chemical and Materials Engineering

JOHN S. PRATT, ESQ  
KILPATRICK STOCKTON, LLP  
1100 PEACHTREE STREET  
ATLANTA GA 30309

cc: Allowed Files, Pk3-915